



**POLICE CYCLES
& ACCESSORIES**
2012
RANGE

2012 HARDROCK



IMAGE FOR ILLUSTRATION ONLY, CUSTOMISED SPECIFICATIONS AVAILABLE

FRAME

Specialized A1 Premium Aluminium, fully butted, w/ canti bosses, 6061 alloy, double ORE down tube, externally relieved head tube, forged dropouts and reinforced disc mount, alloy replaceable derailleur hanger

FORK

SR Suntour XCT (SF12-XCT-V4-P), 1pc. alloy lower, 28mm Hi-Ten stanchions, 1-1/8" Hi-Ten steerer, coil/mcu spring w/ preload adj., 80mm travel

HEADSET

1-1/8" threadless, loose ball w/ seals

STEM

Ahead, 4 bolt clamp, 20° rise, 25.4mm

HANDLEBARS

Hi-Ten riserbar, 35mm rise, 8° backsweep, 4° upsweep, 25.4mm

GRIPS

Specialized Enduro, dual compound

FRONT BRAKE

Die cast, alloy "V" brake, 1pc. pad
-Alloy "V"-brake, two-finger, linear pull

REAR BRAKE

Die cast, alloy "V" brake, 1pc. pad
-Alloy "V"-brake, two-finger, linear pull

FRONT DERAILLEUR

Shimano Altus, 8-speed, 34.9mm clamp, top-swing, dual-pull

REAR DERAILLEUR

Shimano Altus, 8-speed, SGS cage

SHIFT LEVERS

Shimano Altus, 8-speed Rapidfire plus, SL type w/ optical display

CASSETTE

Shimano 8-speed, 11-34t

CHAIN

KMC X-8, 8-speed, reusable Missing Link

CRANKSET

SR Suntour XCT, 8-speed, square taper spindle

CHAINRINGS

42/32/22, replaceable outer, w/ chainguard

BOTTOM BRACKET

Square taper, cartridge bearing, double crank stop

PEDALS

Composite platform w/ moulded pins, toe clip compatible, 9/16" w/ reflectors

RIMS

Alex HR 26", alloy double-wall, 24mm, pin joint, 32h

FRONT HUB

QR axle, sealed loose ball, 17mm contact, 32h

REAR HUB

Double-sealed loose ball, 19mm contact, QR, 32h

SPOKES

Stainless silver, 2.0mm (14g)

SADDLE

Specialized Body Geometry Hardrock, steel rails, front and rear bumpers, 143mm width

SEATPOST

Alloy, 2 bolt head, 30.9mm, 12.5mm offset, micro adjust



2012 HARDROCK DISC INT



IMAGE FOR ILLUSTRATION ONLY, CUSTOMISED SPECIFICATIONS AVAILABLE

FRAME

Specialized A1 Premium Aluminium, fully butted, disc only, 6061 alloy, double ORE down tube, externally relieved head tube, forged dropouts and reinforced disc mount, alloy replaceable derailleur hanger

FORK

SR Suntour XCT (SF12-XCT-V4-DS), 1pc. alloy lower, 28mm Hi-Ten stanchions, 1-1/8" Hi-Ten steerer, coil/mcu spring w/ preload adj., 80mm travel

HEADSET

1-1/8" threadless, loose ball w/ seals

STEM

Ahead, 4 bolt clamp, 20° rise, 25.4mm

HANDLEBARS

Hi-Ten riserbar, 35mm rise, 8° backsweep, 4° upsweep, 25.4mm

GRIPS

Specialized Enduro, dual compound

FRONT BRAKE

Tektro Novela mechanical disc brake, dual pad angle adj., post mount, 160mm rotor -Tektro, die cast lever, included w/ brake

REAR BRAKE

Tektro Novela mechanical disc brake, dual pad angle adj., post mount, 160mm rotor -Tektro, die cast lever, included w/ brake

FRONT DERAILLEUR

Shimano Altus, 8-speed, 34.9mm clamp, top-swing, dual-pull

REAR DERAILLEUR

Shimano Altus, 8-speed, SGS cage

SHIFT LEVERS

Shimano Altus, 8-speed Rapidfire plus, SL type w/ optical display

CASSETTE

Shimano 8-speed, 11-34t

CHAIN

KMC X-8, 8-speed, reusable Missing Link

CRANKSET

SR Suntour XCT, 8-speed, square taper spindle

CHAINRINGS

42/32/22, replaceable outer, w/ chainguard

BOTTOM BRACKET

Square taper, cartridge bearing, double crank stop

PEDALS

Composite platform w/ moulded pins, toe clip compatible, 9/16" w/ reflectors

RIMS

Alex HR Disc 26", alloy double-wall, disc, pin joint, 24mm, 32h

FRONT HUB

Disc hub, QR axle, sealed loose ball, 17mm contact, 32h

REAR HUB

Sealed loose ball, 19mm contact, QR, 32h

SPOKES

Stainless silver, 2.0mm (14g)

SADDLE

Specialized Body Geometry Hardrock, steel rails, front and rear bumpers, 143mm width

SEATPOST

Alloy, 2 bolt head, 30.9mm, 12.5mm offset, micro adjust

2012 HARDROCK SPORT DISC INT



IMAGE FOR ILLUSTRATION ONLY, CUSTOMISED SPECIFICATIONS AVAILABLE

FRAME

Specialized A1 Premium Aluminium, fully butted, disc only, 6061 alloy, double ORE down tube, externally relieved head tube, forged dropouts and reinforced disc mount, alloy replaceable derailleur hanger

FORK

SR Suntour XCM (SF11-XCM-V3-26-DS-MLO), 1pc. alloy lower, 30mm Hi-Ten stanchions, mechanical LO, custom women's coil/mcu spring w/ preload adj., spring assisted seals, 80mm travel

HEADSET

1-1/8" threadless, loose ball w/ seals

STEM

3D forged 6061 alloy, 4 bolt clamp, 10° rise, 25.4mm

HANDLEBARS

Alloy XC riser bar, 8° backsweep, 4° upsweep, 25.4mm

GRIPS

Specialized Enduro, dual compound

FRONT BRAKE

Tektro Draco hydraulic disc brake, post mount, 160mm 6-bolt rotor -Tektro Draco hydraulic

REAR BRAKE

Tektro Draco hydraulic disc brake, post mount, 160mm 6-bolt rotor -Tektro Draco hydraulic

FRONT DERAILLEUR

Shimano Acera, 9-speed, 34.9mm clamp, top-swing, dual-pull

REAR DERAILLEUR

Shimano Acera, 9-speed, SGS cage

SHIFT LEVERS

Shimano Acera, 9-speed Rapidfire plus, SL type w/ optical display

CASSETTE

Shimano 9-speed, 11-34t

CHAIN

KMC X-9, 9-speed, reusable Missing Link

CRANKSET

SR Suntour, 9-speed, Octalink spline, w/ chainguard

CHAINRINGS

42/32/22, replaceable outer, w/ chainguard

BOTTOM BRACKET

Shimano, Octalink spline, cartridge bearing, 68mm

PEDALS

Composite platform w/ moulded pins, toe clip compatible, 9/16" w/ reflectors

RIMS

Alex HR Disc 26", alloy double-wall, disc, pin joint, 24mm, 32h

FRONT HUB

Disc hub, high-Lo flange, sealed loose ball, machined disc mount, QR, 32h

REAR HUB

Machined disc mount & flanges, double-sealed, ground race, loose ball, dual lock nuts w/ 19mm contact side, QR, 32h

SPOKES

Stainless silver, 2.0mm (14g)

SADDLE

Specialized Body Geometry Hardrock, steel rails, front and rear bumpers, 143mm width

SEATPOST

Alloy, 2 bolt head, 30.9mm, 12.5mm offset, micro adjust

2012 ROCKHOPPER



IMAGE FOR ILLUSTRATION ONLY, CUSTOMISED SPECIFICATIONS AVAILABLE

FRAME

Specialized M4 fully manipulated alloy frame, fully butted, disc only, externally relieved HT, forged dropouts w/ replaceable derailleur hanger

FORK

SR Suntour XCR (SF11-XCR-DS-26-LO-SP), magnesium lower, 30mm steel stanchions, 1-1/8" alloy steerer, hyd. damping w/ Specialized Spike Valve and alloy LO cartridge, XS/S: 80mm, M-XXL: 100mm travel

HEADSET

Integrated 1-1/8" threadless, Campy-style, full cartridge bearings

STEM

3D forged 6061 alloy, 4 bolt clamp, 7° rise, 31.8mm

HANDLEBARS

XC riser bar, double butted alloy, 8° backsweep, 6° upsweep, 31.8mm

GRIPS

Specialized Body Geometry XCT Men's, dual compound, Kraton rubber, closed end, 130mm

FRONT BRAKE

Tektro Draco hydraulic disc brake, post mount, 160mm 6-bolt rotor -Tektro Draco hydraulic Lever

REAR BRAKE

Tektro Draco hydraulic disc brake, post mount, 160mm 6-bolt rotor -Tektro Draco hydraulic Lever

FRONT DERAILLEUR

Shimano Acera, 9-speed, 34.9mm clamp, top-swing, dual-pull

REAR DERAILLEUR

Shimano Alivio, 9-speed, SGS cage

SHIFT LEVERS

Shimano Acera, 9-speed Rapidfire plus, SL type w/ optical display

CASSETTE

Shimano 9-speed, 11-34t

CHAIN

KMC X-9, 9-speed, reusable Missing Link

CRANKSET

SR Suntour, 9-speed, Octalink spline

CHAINRINGS

44/32/22, replaceable outer

BOTTOM BRACKET

Shimano, Octalink spline, cartridge bearing, 73mm

PEDALS

Composite plastic body, loose ball w/ reflectors

RIMS

Alex RH Disc 26", alloy double-wall, 28mm, pinned, 32h

FRONT HUB

Formula disc hub, high-low flange, double-sealed loose ball, machined disc mount, QR, 32h

REAR HUB

SBC rear disc hub, cassette, QR axle, double-sealed loose ball, polished races, machined disc mount and flanges, 19mm contact, 32h

SPOKES

Stainless, 2.0mm (14g)

SADDLE

Specialized Body Geometry Rockhopper, steel rails, 143mm width

SEATPOST

Alloy, 2 bolt head, 30.9mm, 12.5mm offset, micro adjust



CATEYE Front Light
EL610RC Single Shot

Part No: LE000690

CATEYE Rear Light
TL-LD500 3 LED/BS Reflect
Part No: LE000700



Topeak Super Tourist DX (for DSC) Racks - Black

Part No: ML005770



EUROLIGHT
EL180 Set (Front and Rear)
Part No: LE000710



Topeak MTX EXP Trunk bag

Part No: ML005780

Magellan Hi Vis Cover

Part No: CA012805



Rodeo Dirt Bar Ends
Part No: ML005750



Lock Cycle, Spiral 8mm X 1500mm - Blue

Part No: ML005790



Zefal Water Bottle Screw on Lid 750ml

Part No: ML005720

Tortec Bottle Cage

Part No: ML005730



Bicycle Pump

Part No: ML005820

Puncture Repair Kit

Part No: ML005810



Zefal MTB FR-SUS FIT Front Mud Guard - Black

Part No: ML005740



Decals available for:

Police


Ambulance

Fire



Rotary Cycle Bell: Black

Part No: ML005760



Kickstand, Black

Part No: ML005880



Part No: HS005235



Part No: HS005240

Specialized Align Helmet;

Conforms to CE EN1078 standards.

One size system (54-62cms).

Tyres

Fast Trak LK Sport,
26x2.0", 60TPI, wire bead

Crossroads EX,
26x1.95"

Hemisphere EX,
26x1.95"

Fast Trak LK Armadillo,
26x2.0"

Crossroads Armadillo,
26x1.95"

Hemisphere Armadillo,
26x1.95"



Saddle Options

Male Option : Specialized XC Body Geometry
143mm

Female Option: Specialized XC BG sonoma
155mm